



BELGICA DE WEERD



PRODUCT INFORMATION

THE INTERNATIONAL PROGRAM TO SUCCESS
FOR THE PIGEON SPORT



Laboratory and clinic for specialist guidance on racing pigeons with more than 40 years of experience, led by Dr. **H.J.M. de Weerd**, veterinary surgeon for racing pigeons.

Ace Buffel

NL07-1459525

5° NU Perigueux	7.306 p.
9° NPO Bergerac	3.470 p.
14° NPO Orange	2.110 p.
15° NPO Bergerac	4.187 p.
20° NPO Cahors	6.542 p.

Index

BELGICA DE WEERD & VETERINARY CLINICS ---

De Weerd family	4
Dierenkliniek (veterinary clinic) Breda & Veterinary clinics UK / China	6

PRODUCT INFORMATION ---

List of Belgica De Weerd products	8
-----------------------------------	---

PROGRAMS & IMPORTANT INFORMATION ---

Breeding program	38
Racing program	39
Moulting and winter program	42
Important information about diseases	44

PLEASE NOTE:

This is a worldwide brochure. The products currently authorised in the U.K. are shown in this brochure. Please note all other products manufactured by Belgica De Weerd have no current U.K. authorisation.





Preface

With this international program to success I expect to enable all fanciers to become acquainted with the extensive range of possibilities with our products.

Daily we receive many requests from all over the world for detailed advice on all kinds of common problems related to the sport.

With this program, we provide you with as much veterinary-technical information with which you can achieve even better performance.

I am confident that our products will be of great importance by bringing your pigeons in excel-



lent health and condition which are essential for good breeding, achieving top performances during the races and a perfect moult.



DR. HENK DE WEERD

veterinary surgeon for homing pigeons



Class Pigeons, top fanciers and Belgica De Weerd!

Essential conditions for achieving top results include:

- White noses and pink skin
- Pink throats without slime
- Good plumage and flat tight feathers around the head
- Dry droppings with down feathers

De Weerd family

Henk de Weerd

Since 1972 Dr. Henk de Weerd has specialised himself in the medical and sports technical guidance of racing pigeons. To answer the many questions about the sport, particularly with regard to modern and responsible medical supervision, a team of specialists is employed in his clinic in Breda.

Many famous fanciers from home and abroad privately seek consultations with veterinary surgeon de Weerd at his clinic about a vast amount of pigeon related subjects including therapies and the prevention of diseases also the techniques in the sport, loft construction and design plus advice on feeding and breeding programs.

Veterinary technical advice to get pigeons in top condition also form an important part of loft practice management.

Figures reveal that over 100,000 fanciers worldwide rely on the expertise of Pigeon Clinic Breda.

As a young boy Dr. De Weerd visited many top lofts in Belgium and Holland with his famous father Piet de Weerd. Subsequently they visited Germany, UK, Spain, Portugal, U.S.A., Canada, Mexico, Thailand, Taiwan, China, Japan, etc. In most cases, these trips were attended by the lectures given by Piet and Dr. Henk de Weerd on topics such as selection and the most common pigeon diseases.

All Belgica De Weerd products are developed after our research in Breda and are produced according to GMP standards. Our veterinary products are registered and licensed in Europe. Only after a long test period by top players, the products were introduced on the market.

Of course, all products are doping free.

Belgica De Weerd products are successfully used in over 40 countries. In the Netherlands more than 70% of the top players use the success program of Belgica De Weerd.

Meanwhile there are also Belgica De Weerd pigeon clinics in Colchester (Essex) and in Beijing, next to the Olympic Stadium!

Piet de Weerd

During a period of over 60 years, Piet de Weerd achieved worldwide acknowledgement due to his manner in selecting and pairing the best and most valuable pigeons in the world. His name is known in the furthest corners of the globe and many fanciers read his articles and books which are written in his own down-to-earth characteristic manner and have become standard works of the sport.

Fascinating, informative and above all objectively, he let the reader become acquainted with the greats of the international pigeon sport and he tried to share his vision on the conditions that a good pigeon would have to meet to anyone who wanted. He received invitations from all

Dr. Henk de Weerd



4

Dr. Henk & Nicole de Weerd





over the world to share his knowledge with international fanciers during personal visits.

Piet de Weerd traveled dozens of times across the Atlantic to the United States and Mexico, but also South Africa and the Far East were visited several times which makes this eminence grise of the Dutch pigeon sport emerged as the world's best specialist field of selection and breeding.

Aarden strain

He established conclusive proof of his unequalled mastery directly after World War II during the period that Jan Aarden tried to build up an iron strain for the toughest overnight races and that he had succeeded in his plans was due to Piet de Weerd. The absolute mother of the Aarden strain, the 'Oomen hen' (H45-907764) by Jan Aarden also called the 'Delbar hen', was in fact a gift from Piet de Weerd to Jan Aarden during one of his many visits he made to Aarden in Steenberg during that period.

The '500' Van Agtmaal descended from her litter sister 45-907765 which was donated by Piet de Weerd to Suus van den Berg in Steenberg. Several times he brought one or more pigeons which were crossed with the stockbirds present in the lofts Aarden on his advice.

So we may say he is the architect of the Aarden strain. Purchases and pairings of top pigeons which took the name de Weerd in the

international pigeon sport at the highest plan, included: the purchase of the 'Wondervoske' from the Janssen Brothers for the combination of Oomens-Tuijn; the pairing of the 'Franck' (44-306686) to 'Heroïne' (47-1008650) on the loft of George Fabry in Liège, from which the 'Porthos' and 'Favori' were born, two cocks that gave the name Fabry worldwide recognition. Also the purchase of the 'Piet' (strain Meulemans) which was transferred to Raymund Hermes in Germany was a bullseye and in South Africa, fanciers are to this day talking about the incredible breeding results of the 'Stallion Jan Aarden', a pigeon which was bred by Piet de Weerd.

The inimitable way Piet used a few 'Albert Van Cauwenbergh' pigeons contributed to the deserved glory of this great master in the sport.

The famous 'Didi'-line of Van de Broucke-De Weerd also was the result of many years of selection and inbreeding by Piet de Weerd.

Didi was in 1989 the National Ace pigeon Long Distance in Belgium with an incredibly low coefficient and its descendant 'Kleine Didi' from Etienne Devos was, if possible, even more famous.

Furthermore, the base at Kipp und Söhne consisted of six pigeons from Piet de Weerd. The three National Ace Pigeons Fond (Long Distance) in 2000 from Werner Bötting (D) were all 50% Piet and Henk de Weerd pigeons (Old Cruco and Buffalo-line).



Piet de Weerd


Oude Kruk
NL.80-8016163



Dierenkliniek (veterinary clinic) Breda / NL

Van de Reijtsstraat 21 | 4814 NE Breda | The Netherlands

T 0031-76-560 06 66 | E info@dierenkliniekbreda.nl | www.dierenkliniekbreda.nl





Veterinary clinic Colchester / UK

Belgica UK | Unit G5 Seedbed Centre Wyncolls Road | Colchester CO49HT | Essex
T 0044 - 1206 - 842221 | E belgicauk@btconnect.com



Veterinary clinic Beijing / China

Pretty Baby Pigeon clinic | Room 602 | unit 4 | No. 122 building
North Street Jinagfuj layuan | Tuofangying chaoyan district | 100016 Beijing
T 0086 - 1370 - 1169719 | E zq6939@126.com



B.S.® (Better Digestion) – powder

B.S.® is a combination of active substances already successfully used worldwide for many years and has become a household name. B.S.® improves digestion and promotes the moult.

Preventive and curing against protozoal diseases such as coccidiosis, trichomoniasis (canker) and hexamitiasis. Also effective against crop and intestinal infections.

Note: if your pigeons drink little (autumn, winter) it is better to administer B.S.® on the feed*.



INSTRUCTIONS

Before breeding:

approx. 3 weeks before mating 3 consecutive days 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of feed* for 40 pigeons.

During breeding season on eggs:

approx. 6 consecutive days 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of feed* for 40 pigeons.

During racing season after homing:

during 1½ day: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of feed* for 40 pigeons.

B.S.® can also be used in combination with Belgasol®.

Oral powder.

Available in 5 g sachets and in containers of 150 g and 300 g. For individual use available as a tablet: B.S.® Tablets, box of 50 tablets.

INDICATION: *Trichomoniasis (canker), hexamitiasis, coccidiosis*

We refer to page 47 for all symptoms of trichomoniasis.



B.S.® (Better Digestion) – tablets

B.S.® is a combination of active substances already many years successfully used worldwide and has become a household name. B.S.® improves digestion and promotes the moult.

Preventive and curing against protozoal diseases such as coccidiosis, trichomoniasis (canker) and hexamitiasis. Also effective against crop and intestinal infections.



INSTRUCTIONS

Preventive: 1 tablet per pigeon.

Curative: 1 tablet a day during 2 days. In severe cases: 1 tablet for 3 consecutive days. Ideal for the individual treatment of your pigeons.

Oral tablets.

Available in boxes of 50 tablets.

B.S.® is also available as a powder.

INDICATION: *Trichomoniasis (canker), hexamitiasis, coccidiosis*

We refer to page 47 for all symptoms of trichomoniasis.



Jonge Bliksem

BE05-3224570

Owner: Dr. de Weerd Pigeons

Son 'Bliksem' (Gaby Vandenabeele)

Sire to among others:

3 rd	St. Quentin	2.940 p.
6 th	NPO Bourges	14.020 p.
16 th	NPO Argenton	7.638 p.
32 nd	NPO La Souterraine	5.576 p.
37 th	St. Quentin	3.800 p.
40 th	Morlincourt	3.856 p.

Belgaroni® 10%

Veterinary medicine for the treatment of trichomoniasis (canker), hexamitiasis and infections of the crop, among other things as a result of anaerobic bacteria.

INSTRUCTIONS

Approx. 1½ measuring spoon in 1 litre of water (or mixed with half a kg of feed*) for 20 pigeons, 2 to 5 consecutive days (depending on the infection rate).

Oral powder.

Available in containers of 150 g.



This veterinary medicine is marketed in accordance with Schedule 6 of the Veterinary Medicines Regulations – Exemptions for small pet animals.

Belgaroni® 15%

Veterinary medicine for the treatment of trichomoniasis (canker), hexamitiasis and infections of the crop, among other things as a result of anaerobic bacteria.

INSTRUCTIONS

2 measuring spoons in 2 litres of water (or mixed with 1¼ kg of feed*) for 50 pigeons, 2 to 5 days (depending on the infection rate).

Oral powder.

Available in containers of 150 g.



This veterinary medicine is marketed in accordance with Schedule 6 of the Veterinary Medicines Regulations – Exemptions for small pet animals.

INDICATION: *Trichomoniasis (canker), hexamitiasis, infections of the crop*

We refer to page 47 for all symptoms of trichomoniasis.



BelgaMagix® - tablets

Veterinary medicine for the treatment of trichomoniasis (canker), hexamitiasis and infections of the crop, both protozoan and anaerobic. Easy to administer, highly effective, without any negative side effects, no nausea.

BelgaMagix® Tablets can be administered even when basketing.

Ideal for individual treatment of your pigeons. If necessary, from the age of 1 week.



INSTRUCTIONS

1 tablet per pigeon, if necessary to be repeated every 3 weeks. In severe cases 3 consecutive days 1 tablet, even during the racing season.

Oral tablet. Available in boxes of 50 tablets.

This veterinary medicine is marketed in accordance with Schedule 6 of the Veterinary Medicines Regulations – Exemptions for small pet animals.

INDICATION: *Trichomoniasis (canker), hexamitiasis, infections of the crop*

We refer to page 47 for all symptoms of trichomoniasis.

OrniSpecial®

Veterinary medicine for the treatment of the ornithosis complex with symptoms such as: dirty noses, difficult breathing (rattles), swollen eyelids, yawning, decreased desire to fly, sneezing and scratching of the head, darkening of the cere and swollen heads.

INSTRUCTIONS

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of feed* for 40 pigeons, for 3 to 5 consecutive days.

During the racing season: a few days before basketing: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of feed*.


In severe cases combine with W.N.® Red / W.N.® Black: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) of OrniSpecial® + 5 g W.N.® Red / W.N.® Black mixed in 2 litres of water or mixed with 1 kg of feed* for 3 to 5 consecutive days.



Oral powder. Available in sachets of 5 g and containers of 80 g. For individual use also available as tablet (OrniStop® tablets).

INDICATION: Ornithosis complex

We refer to page 45 for all the symptoms and combination possibilities with the different by Belgica De Weerd registered veterinary medicines against ornithosis.



Ornithosis complex



W.N.® Red

A conditioner which is effective against infections of the upper respiratory system (Chlamydia spp.) and of the intestines. Even after years of use, the effects of this veterinary medicine are fully preserved.

INSTRUCTIONS

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water for 40 pigeons or mixed with 1 kg of feed*, for 1 to 5 days.

Oral powder. Available in sachets of 5 g and containers of 150 g.



W.N.® Black

A conditioner which is effective against infections of the upper respiratory system (Chlamydia spp.) and of the intestines. Even after years of use, the effects of this veterinary medicine are fully preserved.

INSTRUCTIONS

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water for 40 pigeons or mixed with 1 kg of feed*, for 1 to 5 days.

Oral powder. Available in sachets of 5 g and containers of 150 g.



INDICATION: *Improvement of condition, infections of the upper respiratory system and intestines*

BelgaTai®

Veterinary medicine for the treatment of the ornithosis complex with symptoms such as: dirty noses, difficult breathing (rattles), swollen eyelids, yawning, decreased desire to fly, sneezing and scratching of the head, darkening of the cere and swollen heads.

INSTRUCTIONS

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of feed* for 40 pigeons, for 3 to 5 consecutive days. Can be administered until the day before basketing.

During the racing season: a few days before basketing: 1 measuring spoon (2½ g per spoon) in 1 litre of water or mixed with half a kg of feed*.



Oral powder.

Available in sachets of 5 g or containers of 80 g.

OrniStop® – tablets

Combi-preparation for the treatment of the ornithosis complex with symptoms such as: dirty noses, difficult breathing (rattles), swollen eyelids, yawning, decreased desire to fly, sneezing and scratching of the head, darkening of the cere and swollen heads.

Ideal for the individual treatment of your pigeons. Quick and very effective.



INSTRUCTIONS

1 tablet, twice a day for 3 to 5 days.

During the racing season:

1 tablet per pigeon, 1 day before basketing.

Oral tablets. Available in boxes with 50 tablets.

INDICATION: *Ornithosis complex*

We refer to page 45 for all the symptoms and combination possibilities with the different by Belgica De Weerd registered veterinary medicines against ornithosis.



A.S. Antislijm

An effective veterinary medicine in case of mucus in the throat caused by mucous membrane irritations of the upper respiratory tract and/or the crop mucus membrane.

INSTRUCTIONS

1 sachet (5 g) in 2 litres of water for 40 pigeons or mixed with 1 kg of feed*, for 3 consecutive days.

Oral powder. Available in sachets of 5 g.



INDICATION: *Infections of the upper respiratory system and the crop mucus membrane*

Orni 3

Veterinary medicine effective in cases of symptoms of ornithosis complex (infections of the respiratory system). Particularly suitable for young pigeons.

INSTRUCTIONS

1 day before basketing 1 sachet (5 g) in 2 litres of water or mixed with 1 kg of feed*. Can also be alternated with OrniSpecial® or W.N.® Red / W.N.® Black.

Oral powder. Available in sachets of 5 g.



INDICATION: *Ornithosis complex*

We refer to page 45 for all the symptoms and combination possibilities with the different by Belgica De Weerd registered veterinary medicines against ornithosis.

* Feed can be moistened with Belgasol® among other things.

Ornisol

Veterinary medicine for the treatment of infections of the respiratory system (ornithosis complex) with specific clinical symptoms such as: dirty noses, difficult breathing (rattles), swollen eyelids, yawning, decreased desire to fly, sneezing and scratching of the head, darkening of the cere and swollen heads.

For old as well as young pigeons. Can also be used as a general conditioner when pigeons are not fit. Can also be administered a few days before basketing.



INSTRUCTIONS

1 drop per pigeon directly in the beak, twice a day or 1 cap Ornisol in 1 litre of water, for 20 pigeons, for 1 to 4 days.

In case of severe ornithosis complex mix with BelgaTai®.

Oral solution.

Available in bottles of 50 ml.

INDICATION: *Ornithosis complex*

We refer to page 45 for all the symptoms and combination possibilities with the different by Belgica De Weerd registered veterinary medicines against ornithosis.



ParaStop® powder & Para Tablets

ParaStop® is used against paratyphoid (*Salmonellosis*), E-Coli and α -specific intestinal infections, caused by Gram-negative bacteria. It is a combination preparation that has proven its reliability for many years.

Can also be administered during the moulting and breeding period, even with newly-hatched squakers.

INSTRUCTIONS POWDER

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water for 40 pigeons or mixed in 1 kg of feed*, during 10 to 14 days. The infected pigeons must be treated extra with Para Tablets during the first days of the treatment: 1 tablet, twice a day, for 7 days.

Can also be used right after the racing season and before mating/breeding period, during approx. 8 days.

Also often used a few weeks before the start of the racing season: for approx. 8 days. (An 8-day treatment will be sufficient in most cases.)

INSTRUCTIONS TABLETS

For individual treatment of clinically sick pigeons: twice a day, 1 tablet per pigeon, for 7 to 10 days.



Oral powder. Available in sachets of 5 g and in containers of 150 g and 300 g.



Boxes containing 50 tablets.

INDICATION: *Paratyphoid, E.coli, α -specific intestinal infections*

We refer to page 44 for all symptoms of paratyphoid.

* Feed can be moistened with Belgasol® among other things.

Parasol

Parasol is effective against paratyphoid (Salmonellosis), E.coli and a-specific intestinal infections. Can also be used during the moulting and breeding period, even with newly-hatched squeakers.

INSTRUCTIONS

4 ml in 1 litre of water for 20 pigeons during 7 to 14 days, depending on the severity of the infection.

Oral solution.

Available in bottles of 100 ml.



INDICATION: *Paratyphoid, E.coli, a-specific intestinal infections*

We refer to page 44 for all symptoms of paratyphoid.



Paratyphoid



Paratyphoid



4 in 1 Mix

A combination remedy with quick effect in case of adeno-coli syndrome. Also used in case of chronic watery droppings due to former PMV (paramyxo) infections.

Symptoms, mostly with young pigeons: loss of condition, vomiting, green-yellow watery/slimy droppings, loss of weight and death.

4 in 1 Mix is the alternative for Belgamco®.



INSTRUCTIONS

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water for 40 pigeons or mixed with 1 kg of feed*, for 5 to 7 days.

Can be given at any time, even during the breeding and moulting period and during the racing season.

ADVICE

The effect is further enhanced in combination with Belgasol®: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) of 4 in 1 Mix in 2 litres of water together with 15 ml Belgasol®.

Oral powder.

Available in sachets of 5 g and containers of 80 g.

INDICATION: *Adeno-coli syndrome and other intestinal infections*

We refer to page 46 for all the symptoms and combination possibilities with different by Belgica De Weerd registered veterinary medicines against adeno-coli syndrome.

* Feed can be moistened with Belgasol® among other things.

Belgamco® – powder & tablets

Combination remedy for the treatment of the adeno-coli syndrome in old and young pigeons (green-yellow watery/slimy droppings and vomiting, loss of weight, death) and other gastro-intestinal (E.coli) infections, enterococcus, streptococcus and staphylococcus infections especially for staphylococcus intermedius, one of the primary causes of ornithosis complex (sinusitis). Quick and effective working.



INSTRUCTIONS POWDER

1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) in 2 litres of water or mixed with 1 kg of feed* for 40 pigeons, 5 to 7 consecutive days. Belgamco® can be combined with Belgasol®.

In more severe cases Belgamco® and Cobel® can be combined: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) of Belgamco® + approx. 6 ml Cobel® in 2 litres of water for 40 pigeons for 5 to 7 days.

INSTRUCTIONS TABLET

1 tablet, twice a day for 5 consecutive days.

Oral powder and tablets. Available in sachets of 5 g and containers of 80 g.



Boxes containing 50 tablets.

INDICATION: *Adeno-coli syndrome and other intestinal infections*

We refer to page 46 for all the symptoms and combination possibilities with different by Belgica De Weerd registered veterinary medicines against adeno-coli syndrome.



Cobel®

Veterinary medicine for the treatment of adeno-coli syndrome and other gastro-intestinal infections such as Salmonellosis (paratyphoid), Klebsiella and Campylobacter. Symptoms: loss of condition, vomiting, green-yellow slimy droppings, losing weight and death.

INSTRUCTIONS

3 to 4 ml in 1 litre of water for 5 to 7 days for 20 pigeons, depending on the severity of the symptoms.

In more severe cases to combine with Belgamco®: approx. 6 ml Cobel® + 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) Belgamco® in 2 litres of water.



Oral solution.

Available in bottles of 100 ml.

INDICATION: *Adeno-coli syndrome and other intestinal infections*

We refer to page 46 for all the symptoms and combination possibilities with different by Belgica De Weerd registered veterinary medicines against adeno-coli syndrome.



Schone Bliksem

BE05-3224593

Owner: Dr. de Weerd Pigeons

Son 'Bliksem' (Gaby Vandenabeele)

Grandsire to among others:

1 st Provincial Blois	3.090 p.
1 st Provincial Bourges	2.045 p.
1 st Regional Orleans	998 p.
1 st Provincial Blois	547 p.
35 th National Montauban	6.822 p.
51 st National Argenton	15.902 p.

BelgaFox®

Veterinary medicine to be used in case of intestinal bacterial infection (E.coli, Salmonellosis and others) and symptoms of the ornithosis complex.

INSTRUCTIONS

Depending on the severity of the symptoms: 2 to 3 ml in 1 litre of water for 3 to 10 days.


- In preparation for breeding: a few weeks before mating, use for 1 week.
- Often used 2 weeks before the racing season, for 5 days.
- Can be given during the racing season during a few days at the beginning of the week.



Oral solution.

Available in bottles of 100 ml.

INDICATION: *E.coli, Salmonellosis, ornithosis complex*



Lightning Bolt

BE12-6326698

Owner: Dr. de Weerd Pigeons

Brother 'Bolt' (Leo Heremans)

1st National Ace Pigeon Short
Distance Young Birds KBDB 2012

2 nd	Quiévrain	2.707 p.
3 rd	Quiévrain	1.881 p.
7 th	Quiévrain	2.507 p.
8 th	Quiévrain	1.701 p.
12 th	Quiévrain	2.131 p.
15 th	Quiévrain	1.914 p.



BelgaWormac® - powder

Veterinary medicine for the treatment of worm infections caused by hair, round and tapeworms (*Capillaria* spp.en *Ascaridia* spp.). Pigeons can be fed normally. Fast and effective working, without any negative side effects, no nausea.

Do not administer during the moult or to nestlings.

INSTRUCTIONS

2 measuring spoons of 5 g (10 g) in 1 litre of water for 2 days. If necessary, to be repeated after 2 to 3 weeks.

Do not administer on the feed!

To prevent the risk of reinfestation disinfect the loft: remove loft floor litter if any, moisten the loft with water and then carefully 'burn-out' the loft.

This veterinary medicine is marketed in accordance with Schedule 6 of the Veterinary Medicines Regulations – Exemptions for small pet animals.



Oral powder.

Available in containers of 60 g.

For individual use also available as a tablet.

INDICATION: Worm infections

For more information about worms we refer to page 46.



Roundworm egg under microscope



Hairworm egg under microscope

BelgaWormac® - tablets

Veterinary medicine for the treatment of worm infections caused by hair, round and tape-worms (Capillaria spp. and Ascaridia spp.). Ideal for the individual treatment of your pigeons. Fast and effective working, no negative side effects, no nausea.

Pigeons can be fed normally. BelgaWormac® tablets can even be administered in the week of basketing.

Do not administer during the moult or to nestlings.



INSTRUCTIONS

1 tablet per pigeon, repeat the treatment after approx. 2 to 3 weeks.

In case of severe infections it is recommended to treat the pigeons for 2 consecutive days with 1 tablet a day.

To prevent the risk of reinfestation disinfect the loft: remove loft floor litter if any, moisten the loft with water and then carefully 'burn-out' the loft.

Oral tablet.

Available in boxes containing 50 tablets.

This veterinary medicine is marketed in accordance with Schedule 6 of the Veterinary Medicines Regulations – Exemptions for small pet animals.

INDICATION: *Worm infections*

For more information about worms we refer to page 46.



BelgaCoxi® - tablets

Veterinary medicine for the treatment of coccidiosis contamination in pigeons caused by *Eimeria labbeana*, *Eimeria columbarum* and *Eimeria columbae*. Easy to administer, highly effective and without any negative side effects. Pigeons can be fed normally. Enhances the condition.

Coccidiosis mainly occurs in birds with low resistance and high infection pressure in a humid environment with litter on the floor. In severe cases the pigeons produce watery droppings and slowly lose weight.



INSTRUCTIONS

1 tablet per pigeon, repeat after 2 weeks.


To prevent the risk of reinfestation disinfect the loft: remove loft floor litter if any, moisten the loft with water and then carefully 'burn-out' the loft.

Oral tablet.

Available in boxes containing 50 tablets.

This veterinary medicine is marketed in accordance with Schedule 6 of the Veterinary Medicines Regulations – Exemptions for small pet animals.

INDICATION: Coccidiosis



Coccidiosis under a microscope

Ectopar

Against ectoparasites (lice and mites).

INSTRUCTIONS

Once a month apply 1 drop to the skin on the back of the neck. In severe cases also apply to the skin on the tailbone. During the racing season apply at the beginning of the week.

Liquid for topical application.

Available in bottles of 10 ml.



INDICATION: *Ectoparasites*



Mites and lice



BelgaDrops (eye and nose drops)

Disinfection of the eye mucus membranes, the lacrymal canal and mucus membranes of the nose in case of wet eyes and eye membranes (inflamed third eyelid).

INSTRUCTIONS

Preventive: before basketing and after homing 1 drop in both eyes. Can also be dropped in the nose.

Curative: several times a day 1 drop in both eyes and nostrils, for 3 to 4 days.

Available in a bottle of 20 ml.



INDICATION: *In case of problems of the eye and nose mucus membranes*

Asra

BE16-6064131

Owner: Dr. de Weerd Pigeons

Son to the renowned "Sara" (Willy Daniëls)
"Sara" won o.a.:

1 st	Nat. Ace Pigeon Great Middle Distance Yearlings KBDB 2016	
2 nd	Nat. Argenton	12.449 p.
5 th	Nat. Issoudun	11.984 p.
28 th	Nat. Bourges	19.889 p.
32 nd	Nat. Chateauroux	9.540 p.
45 th	Nat. Argenton	18.363 p.

"Sara" is sister "Selin", 1^e Nat. Ace Pigeon Great Middle Distance Yearlings KBDB 2017



Belgasol®

Belgasol® is a unique combination of electrolytes, vitamins and trace elements on an energy carrying base and improves rehydration in the body at high speed. This is important during the **racing season** at higher temperatures and with difficult races!

Belgasol® is the best cure during the **breeding season** in case of sudden watery droppings when switching from crop milk to hard corn, experiencing more drinking, excessive grit and mineral picking as well as loss of weight.

The effect is better and faster than with conventional electrolytes.

INSTRUCTIONS

During breeding season: for strong, well growing youngsters: approx. 25 ml in 1 litre of water for 5 consecutive days, starting as soon as the youngsters are about one week old.

During racing season:

2 to 3 times per week 15 ml per 1 litre of water.

On the day of homing, the dosage can be increased to 25 ml per litre of water.

Belgasol can even be administered on the day of basketing.



Belgasol® can be used with all of our other products.

Available in bottles of 250, 500, 1000 and 5000 ml.

INDICATION: *Fluid loss (dehydration) during breeding and racing season*



Well reared youngsters with perfect droppings



Belga Bion®

Belga Bion® is a high quality, easy dissolving, balanced multivitamin preparation (13 vitamins) based on energy carriers. It contains minerals and trace elements including iron and iodine.

Belga Bion® is administered for a rapid and effective treatment of vitamin deficiency in cases of stress and before and after the races. Can also be used after therapeutic treatments.




INSTRUCTIONS

1 to 2 consecutive days 1 sachet (5 g) on 3 litres of water or on 1½ kg feed*.

During the racing season to be administered once a week on Tuesday.

Available in sachets of 5 g.

INDICATION: *In case of vitamin deficiency, after therapeutic treatments and in case of stress*



Jan

BE15-6100701

Owner: Dr. de Weerd Pigeons

Raced by: Nicole de Weerd

100% Stefaan Lambrechts

15th Nat. Ace Pigeon Short Middle Distance Young Birds KBDB 2015

1 st	Souppes	1.185 p.
1 st	Gien	499 p.
4 th	Souppes	471 p.
4 th	Quiévrain	173 p.
10 th	Noyon	526 p.
14 th	Quiévrain	418 p.
15 th	Noyon	342 p.

* Feed can be moistened with *Belgasol*® among other things.

Belga Super Fit

Successful results in top sport require reinforcement of the immune system of the homing pigeon. This is achieved with Belga Super Fit, a condition mix based on vitamins, electrolytes, trace-elements, amino-acids, dextrose and brewer's yeast.

Belga Super Fit can be combined with Belgarlic + Vit. E for improving the condition and an optimal moult.



INSTRUCTIONS

Breeding period: starting from day of mating: moisten 1 to 1½ kg of feed with 15 ml Belgarlic + Vit E, then mix the feed with 1 measuring spoon (10 g) of Belga Super Fit, for 3 to 5 consecutive days.

Racing season: at the beginning of the week: moisten 1 to 1½ kg of feed with 15 ml Belgarlic + Vit E, then mix the feed with 1 measuring

spoon (10 g) of Belga Super Fit, for 2 consecutive days.

Moulting/winter season: moisten 1 to 2 times a week on 1 kg of feed with 15 ml Belgasol® or 15 ml Belgarlic + Vit. E, then mix the feed with 1 measuring spoon (10 g) of Belga Super Fit.

Available in containers of 500 g.

INDICATION: *To improve condition*



Bourges Bliksem

NLo8-3814025

Owner: Dr. de Weerd Pigeons

Grandson 'Bliksem' (Gaby Vandenabeele)

6 th	NPO Bourges	14.020 p.
16 th	NPO Argenton	7.638 p.
32 nd	NPO La Souterraine	5.576 p.



Belga Biovit

Belga Biovit is ideal during the moulting and breeding period. It contains the most essential nutrients (including liquid minerals and trace elements) in the correct proportions for optimal growth of new feathers. Belga Biovit makes the feathers smooth, shiny and silky.

INSTRUCTIONS

During the breeding and moulting period:
10 ml Belga Biovit in 2 litres of water, two to three times a week.

Available in bottles of 250 ml, 500 ml and 1000 ml.



INDICATION: *Optimal growth of new feathers*

Essential Oil Belgica

Scientific compound oil with gamma oryzanol, lecithin, carnitine and creatine to increase endurance.

The added herbal extracts also have a positive effect on the balance of the intestinal microflora. Essential Oil is an extremely high quality and complete oil that also has a positive effect on the development of good plumage in the moult and the perfect growth of the youngsters during breeding.

INSTRUCTIONS

Throughout the year, 2 to 3 times a week, 15 ml Essential Oil mixed with 1 kg of feed*.



Available in bottles of 500 ml

INDICATIE: *Scientific compound oil with gamma oryzanol, lecithin, carnitine and creatine*

* Feed can be moistened with *Belgasol*® among other things.

Belgarlic + Vit. E

High quality garlic oil with garlic extract and essential fatty acids including a high level of vitamin E, improving the overall resistance after infectious diseases, and to help in stressful situations. For optimal breeding; positive results regarding fertility problems; stimulation of the digestive system; detoxification of the body and purification of the blood as well as acting as an antioxidant.

Belgarlic + Vit. E to be combined with Belga Super Fit for improvement of the condition and for an optimal moult.



INSTRUCTIONS

Breeding period: to start from the day of mating: moisten 1 to 1½ kg of feed with 15 ml Belgarlic + Vit E., then mix the feed with 1 measuring spoon (10 g) of Belga Super Fit, for 3 to 5 consecutive days.

Racing season: at the beginning of the week: moisten 1 to 1½ kg of feed with 15 ml Belgarlic + Vit E., then mix the feed with 1 measuring spoon (10 g) of Belga Super Fit, for 2 consecutive days.

Moulting/racing season: moisten 1 to 2 times a week 1 kg of feed with 15 ml Belgasol® or 15 ml Belgarlic + Vit. E, then mix the feed with 1 measuring spoon (10 g) of Belga Super Fit.

Shake well before use!

Available in bottles of 250 ml and 500 ml.

INDICATION: *Garlic oil + Vit. E, antioxidant*



BelgaBac

Good intestinal health is of great importance for the welfare of your pigeons. In order to support intestinal health, the regular provision of probiotics is therefore recommended. With the new, improved formula for BelgaBac, we can even better provide for this need. Thanks to the combination of high-dosed probiotics and prebiotics and a broad spectrum of vitamins including biotin and choline, the intestinal system and liver function are effectively supported. Throughout the year twice a week BelgaBac promotes a balanced intestinal flora. Ideal in stress situations, such as races and vaccinations and after antibiotic treatment.

INSTRUCTIONS

BelgaBac can be administered in the water as well as on the feed:

- 1 sachet (5g) or 1 measuring spoon per 2 liters of water
- 1 sachet (5g) or 1 measuring spoon per 1 kg of feed



*Available in sachets of 5 g and
in containers of 300 g.*

INDICATION: *To support intestinal health*

Belga Recharge

High quality protein preparation, ideal for a quick recovery after the race and to prevent protein shortages during the racing season, the moult and the breeding period. Belga Recharge is not only rich in protein, but also in fats, minerals, vitamins, amino acids and tannins. Due to the high protein content in combination with the presence of a broad spectrum of vitamins, amino acids and minerals, in particular magnesium (2%) and calcium (2%), the recovery of your pigeons is supported after strenuous efforts. Belga Recharge also contains Excential Energy Plus to maximize the conversion of fats from the feed and thus optimize recovery and build-up to the next race. During the racing season: 1 or 2 times a week, at the beginning of the week.

During the moulting and breeding period: 1 to 2 times per week to support the growth of a shiny, silky soft plumage and for the perfect growth of your youngsters.

INSTRUCTIONS

Powder: mix 1 measuring spoon (10 grams) with 1 kg of feed which has been moistened with Belgasol or Belgarlic + Vit E.

Capsules: 1 capsule per pigeon on the day of return of the race and possibly the day after. During the breeding and moulting period, if necessary, maximum 1 capsule per pigeon per day.



Available in containers of 300 g powder and tubs of 100 capsules.

INDICATION: *Recuperation and prevention of a protein deficit*



Belga Carbo Energy

High quality energy supplement from singular and complex carbohydrates, vitamins, minerals and trace elements. In addition, Belga Carbo Energy contains both L-Carnitine (14%) and Excential Energy Plus, which ensure that the fats from the feed are optimally converted into energy. In short, the perfect energy boost for your pigeons in the preparation of a race.

INSTRUCTIONS

In the racing season: two times per week: mix 1 measuring spoon (10 grams) with 1 kg of feed which is moistened with Belgasol or Belga Essential Oil.



NEW

Available in containers of 300 g.

INDICATION: *Energy supplement*



National Bliksem

BE15-6100783

Owner: Dr. de Weerd Pigeons

Raced by: Nicole de Weerd

4 th	Prov. Ace Pigeon Long Distance KBDB 2015	
25 th	Nat. Argenton	18.363 p.
39 th	Nat. Argenton	11.123 p.
47 th	La Souterraine	2.333 p.
65 th	Issoudun	2.125 p.
70 th	Argenton	3.617 p.
94 th	Chateauroux	2.776 p.
98 th	Nat. Zone Chateauroux	8.663 p.

Vitaboli®

Vitamin pills based on vitamin B complex.

- Stimulates speed and endurance.
- Vitaboli can also be used in acute field poisonings.
- Has a positive effect on fertility disorders in older stock birds.

INSTRUCTIONS

1 to 2 pills before basketing and after homing from major races.

In case of poisoning: 1 pill twice a day, for 4 days.

For improvement of fertility: 1 pill a day during the mating until the laying.



Available in containers of 100 pills.

INDICATION: *Strengthening and improving condition*

Dynavite

Powerful liquid mixture of multivitamins. In case of a vitamin deficiency, before or after races and in stress situations.

INSTRUCTIONS

1 ml in 1 litre of water.

Oral liquid.

Available in bottles of 100 ml.



INDICATIE: *Vitamin deficiency*



Para Control Boost

Para Control Boost is a new method to stabilize the intestinal flora, enabling the intestines to better eliminate pathogenic bacteria.

Para Control Boost promotes the equilibrium in the intestines and thereby supports the overall resistance and immunity of the pigeons.

INSTRUCTIONS

1 ml per pigeon to be given orally in the crop.

If necessary repeat after three weeks.

Afterwards repeat once a year.

Attention: do not inject!


Shake well before use.

Store cool.



Available in bottles of 100 ml

INDICATION: *Stabilisation of the intestinal flora*



Breeding program

PREPARATION

A few weeks before maiting, it is advisable to have your pigeons' droppings checked for the presence of worms, coccidiosis and paratyphus and treat them if necessary.

- For coccidiosis and/or trichomoniasis, we recommend treatment with *B.S.*®.
- For worms, we recommend treatment with *BelgaWormac*®.
- For paratyphus, we recommend treatment with *ParaStop*® oder *Parasol*.

The above preparations are safe and do not cause vomiting or feather damage.

Preventive: Immediately after racing season or between the end of moult and the start of breeding, we advise that pigeons be treated with *ParaStop*® for 10-14 days: 1 sachet or 2 measuring spoons in 2 litres of water or over 1 kg of feed. A week after the cure with *ParaStop*®, we recommend that the pigeons be treated individually with *Para Control Boost*® to stabilise the intestinal flora and support their general resistance and immunity.

Approx. 3 weeks before maiting, give your pigeons *B.S.*® against trichomoniasis (canker): For 3 consecutive days, 1 sachet in 2 litres of water or 1 sachet over 1 kg of feed.

A healthy breeding season is the basis for future champion pigeons



DURING BREEDING

- From breeding onward, moisten the feed for 3-5 consecutive days with 15 ml of *Belgarlic* + *Vit. E*; then mix the feed with 1 measuring spoon *Belga Super Fit*®
- After the eggs have been laid, give *B.S.*® for 6 days: 1 sachet in 2 litres of water or 1 sachet over 1 kg of feed. This prevents trichomoniasis (canker), infections of the crop mucous membrane, coccidiosis and hexamitiasis. *B.S.*® also promotes down moulting.

- *BelgaBion*® once a week: 1 sachet in 3 litres of water or 1 sachet over 1.5 kg of feed.
- Moisten 1 kg of feed once a week with 15 ml of *Belgarlic* + *Vit. E*; then mix the feed with 1 measuring spoon *Belga Super Fit*®.
- When the squakers are 7 days old, give them 25 ml of *Belgasol*® per litre of water for 5 consecutive days, for perfectly growing youngsters with perfect droppings.



Racing program Old birds racing season

PREPARATION

1 week before the start of the season:

3 consecutive days *A.S. (Anti-Slime)* or *OrniSpecial®* - 1 sachet in 2 litres of water.

SHORT AND MIDDLE DISTANCE

Tuesday: *Belga Bion®*: 1 sachet in 3 litres of water or 1 sachet in 1.5 kg of feed.

Wednesday: over the feed: 15 ml of *Belgasol®*; then, mix the feed with 1 measuring spoon of *Belga Super Fit®* and 1 measuring spoon or 1 sachet of *BelgaBac*.

If a tough race is expected, the feed can be moistened with 15 ml *Belgarlic + Vit. E* or *Essential Oil*.

1 day before basketing: *W.N.®* (White Noses), *OrniSpecial®* or *BelgaTai®* (alternating), 1 sachet in 2 litres of water. Also over the feed: 15 ml of *Essential Oil* or *Belgarlic + Vit. E*; then, mix the feed with 1 measuring spoon *Belga Carbo Energy*.

Day of basketing: Administer 1-2 *Vitaboli®* pills per pigeon.

Immediately upon returning home: 25 ml of *Belgasol®* per litre of water. For 1-2 days *B.S.®* (Better Digestion) - 1 sachet in 2 litres of water or 1 sachet over 1 kg of feed. *B.S.®* can also be given in the water together with *Belgasol®*. If *B.S.®* is given over the feed, the feed can be moistened with 15 ml of *Belgasol®* or 10 ml of *Belga Biovit* per 1 kg of feed.

Reduced performance: It is possible that performance will decrease after 5 races. This is usually caused by an infection in the upper respiratory tract. The pigeons return tired, have lost body weight, train badly and moult too little down feathers. If this happens, on Monday, Tuesday and possibly Wednesday, give your pigeons *OrniSpecial®* or *BelgaTai®* for 2-3 days: 2 measuring spoons or 1 sachet in 2 litres of water. For combination possibilities in case of severe ornithosis, see page 45 of our catalogue.

LONG-DISTANCE

In the week of basketing: 3 consecutive days (Monday + Tuesday + Wednesday) an ornithosis cure in the drinking water: 2 measuring spoons or 1 sachet of *BelgaTai®* in 2 litres of water or 2 measuring spoons or 1 sachet *OrniSpecial®* in 2 litres of water. It is ideal to do this alternately during racing season. Combinations can also be made; see page 45 of our catalogue. On the day of basketing, 15 ml of *Belgasol®* can be given in 1 litre of water, ideal against thirst and to build up energy.

Also, at the same time, over the feed:

Monday: Moisten 1 kg of feed with 15 ml of *Essential Oil* or *Belgarlic + Vit. E*; then, mix the feed with 1 measuring spoon or 1 sachet of *BelgaBac®*.

Tuesday: Moisten 1 kg of feed with 15 ml of *Essential Oil* or *Belgarlic + Vit. E*; then, mix the feed with 1 measuring spoon or 1 sachet of *BelgaBac* and 1 measuring spoon of *Belga Carbo Energy*.

Wednesday: Moisten 1 kg of feed with 15 ml of *Essential Oil* or *Belgarlic* + *Vit. E*; then, mix the feed with 1 measuring spoon (10 g) of *Belga Carbo Energy* and 1 sachet of *BelgaBion*.

For tougher races on the day of basketing:
Administer 1-2 *Vitaboli*® pills per pigeon.

Immediately upon returning home from a race: 25 ml of *Belgasol*® per litre of water. For 2

MARATHON RACES

1 week before basketing: 3 consecutive days 2 measuring spoons or 1 sachet of *BelgaTai*® (+ 5 ml *Ornisol*, if applicable) in 2 litres of water or 2 measuring spoons or 1 sachet *OrniSpecial*® (+ 5 ml *Ornisol*, if applicable) in 2 litres of water. It is ideal to do this alternately during racing season. Combinations can also be made; see page 43 of our catalogue.

At the same time over the feed: 3 consecutive day 15 ml of *Belgarlic* + *Vit. E* with 1 measuring spoon *Belga Super Fit*.

3 days before basketing: Moisten 1 kg of feed with 15 ml of *Essential Oil* or *Belgarlic* + *Vit. E*; then, mix the feed with 1 measuring spoon or 1 sachet of *BelgaBac*.

2 days before basketing: Moisten 1 kg of feed with 15 ml of *Essential Oil* or *Belgarlic* + *Vit. E*; then, mix the feed with 1 measuring spoon or 1 sachet of *BelgaBac* and 1 measuring spoon of *Belga Carbo Energy*.

In the water: 1 sachet of *BelgaBion* in 3 litres of water. Individual treatment: 1 *BelgaMagix* tablet per pigeon.

days *B.S.*® (Better Digestion) - 1 sachet in 2 litres of water. *B.S.*® can also be given together in the water with *Belgasol*®.

Also over the feed for 1-2 days: 10 ml of *Belga Biovit*, then mix the feed with 1 measuring spoon of *Belga Recharge* or the pigeons that have been racing, administer 1 *Belga Recharge* capsule. After returning home from a tough race, 1-2 *Vitaboli*® pills can also be given.

1 day before basketing: Moisten 1 kg of feed with 15 ml of *Essential Oil* or *Belgarlic* + *Vit. E*, then mix the feed with 1 measuring spoon *Belga Carbo Energy*.

In the water: 15 ml of *Belgasol*® in 1 litre of water (this is also possible on the day of basketing) Individual treatment: 1-2 *Vitaboli*® pills per pigeon.

Immediately upon returning home from a race: *Belgasol*® (25 ml per litre of water), for 2 days *B.S.*® (Better Digestion) - 1 sachet in 2 litres of water. *B.S.*® can also be given together with *Belgasol*®. Also add 10 ml of *Belga Biovit* over the feed for 1-2 days, then mix the feed with 1 measuring spoon of *Belga Recharge* or the pigeons that have been racing, administer 1 *Belga Recharge* capsule.

When returning home from a tough race: give 1-2 pills *Vitaboli*®.

Young birds racing season

The Paramyxo vaccination is best done by your veterinarian when the youngsters are about 5 weeks old. This vaccination should be repeated 4-6 weeks after the first vaccination. Squabs that are weaned are given a *B.S.*® cure of 7 days: 1 sachet in 2 litres of water or 1 sachet over 1 kg of feed. About 10 days before training flights, they receive a *B.S.*® cure again, but then of 5 days.

During the first training flights, upon their arrival home, we advise giving the youngsters *4 in 1 Mix* for 1.5 days to suppress any possible adeno-coli infection they may have incurred through the stress in the basket.

During the racing season:

Tuesday: *BelgaBion*® - 1 sachet in 3 litres of water or 1 sachet in 1.5 kg of feed.

Wednesday: over the feed: 10 ml of *Belgasol*® or *Belga Biovit*, then mix the feed with 1 measuring spoon of *Belga Super Fit* and 1 measuring spoon or 1 sachet of *BelgaBac*. If a tough race is expected, the feed can be moistened with 15 ml *Belgarlic* + *Vit. E* or 15 ml of *Essential Oil*.

1 day before basketing: *Orni 3* or *OrniSpecial*: 1 sachet or 2 measuring spoons in 2 litres of water. Instead of *Orni 3* or *OrniSpecial*, *BelgaTai*® or *Ornisol* can also be given with great success. Also over the feed: 15 ml of *Essential Oil* or 15 ml of *Belgarlic* + *Vit. E*; then, mix the feed with 1 measuring spoon *Belga Carbo Energy*.

Immediately upon returning home from a race: *Belgasol*® (25 ml per litre of water), for 1.5 day *B.S.*® (*Better Digestion*): 1 sachet in 2 litres water or 1 kg of feed.



Nicole

BE17-6077454

Raced by: Nicole de Weerd
daughter 'Jan'

1 st	Nat. Chateauroux	1.790 p.
15 th	Chevrainvilliers	177 p.
17 th	Prov. Blois	402 p.
19 th	Momignies	292 p.
97 th	Bourges	1.030 p.
207 th	Nat. Chateauroux	12.150 p.
266 th	Nat. Chateauroux	4.641 p.

* Feed can be moistened with *Belgasol*® among other things.

Moulting period

Our moulting program offers the best requirements for optimum health and an impeccable moult.

Thanks to perfect moulting, the basis for optimum performance is laid for the next season.

- Directly after the racing season or between the end of the moult and the start of breeding, we advise treating the pigeons for 10-14 days with *ParaStop*®, 1 sachet or 2 measuring spoons in 2 litres of water or over 1 kg of feed. A week after the cure with *ParaStop*®, we recommend that the pigeons be treated individually with *Para Control Boost*® to stabilise the intestinal flora and support their general resistance and immunity.

- After the *Parastop*® cure: for 1 week *Belga Biovit*, 10 ml in 2 litres of water. Then 2 to 3 times per week 10 ml of *Belga Biovit* in 2 litres of water
- *BelgaBion*® once a week: 1 sachet in 3 litres of water or 1 sachet over 1.5 kg of feed.
- Moisten 1 kg of feed once a week with 15 ml of *Belgarlic* + *Vit. E*; then mix the feed with 1 measuring spoon *Belga Super Fit*®.
- *B.S.*® every 4 weeks for 3 days (Better Digestion): 1 sachet in 2 litres of water or 1 sachet per kg of feed.

TIP: *After the end of the racing season we advise you to have the droppings of the pigeons checked for the presence of worms, coccidiosis and Paratyphoid. This examination should take place before the start of the moulting period.*

Winter program

For a good moult of the down feathers and constant health during the winter months, our winter program from December to February for all breeding and racing pigeons:

- Every 4 weeks, 3 days *B.S.*® (Better Digestion): 1 sachet in 2 litres of water or 1 sachet per kg of feed.
- 1 time per week *BelgaBion*®, 1 sachet in 3 litres of water or 1 sachet over 1.5 kg of feed.
- Moisten 1 kg of feed once a week with 15 ml of *Belgarlic* + *Vit. E*; then mix the feed with 1 measuring spoon *Belga Super Fit*®.



Blauwe Henk

NL05-1491476

Owner: Dr. de Weerd Pigeons

Sire to among others:

B10-4140140 'El Campio Barca' (1st Nat. Ace Pigeon Barcelona 2013-2015) raced by G. De Coninck (Beveren)

Barcelona 2015	32 nd	Nat.	7.791 p.
Barcelona 2014	115 th	Nat.	8.764 p.
Barcelona 2013	297 th	Nat.	10.542 p.

B10-4140160 'Niki' raced by G. De Coninck (Beveren)

Barcelona 2015	113 th	Nat.	7.791 p.
Narbonne 2013	37 th	Nat.	5.215 p.

Bo8-4152545 'Pink Lady' raced by G. De Coninck (Beveren)

Soustons (St-Vincent) 2009	33 rd	Nat.	9.442 p.
Barcelona 2011	146 th	Nat.	12.170 p.

B10-4140154 'Victoria' raced by G. De Coninck (Beveren)


Barcelona 2013	169 th	Nat.	10.542 p.
----------------	-------------------	------	-----------

Bo8-4152539 'Silke' raced by G. De Coninck (Beveren)

Soustons (St-Vincent) 2009	28 th	Nat.	9.442 p.
----------------------------	------------------	------	----------

B10-4140119 'Dempsey' raced by G. De Coninck (Beveren)

Narbonne 2012	37 th	Nat.	6.583 p.
Perpignan 2013	317 th	Nat.	5.613 p.



Important information about diseases

Sick pigeons have a reduced water and food intake so they should be treated separately, in such a way that they get the right dosage of the medicine.

Paratyphoid

Information about the most important diseases in paratyphoid (salmonella)

SYMPTOMS

- Loss of condition
- Losing weight
- Green, slimy droppings
- Limping (cripple) or flying awkwardly
- Swollen joints in wings and legs
- Infertile eggs
- Twisted necks
- Blindness in one eye
- Death

ParaStop® is a combination preparation against Salmonella (paratyphoid) and E.coli infections and other associated specific intestinal infections. The composition of *ParaStop®* prevents arising resistance as much as possible because it is a combination preparation. *ParaStop®* is


well tolerated during moult and can be administered with newly hatched squeakers. It is recommended to quarantine the pigeons which are suspected of paratyphoid (salmonella) and to burn out or disinfect the lofts immediately. These measures are necessary in order to prevent further infection.

The following veterinary medicines can be used in case of paratyphoid:

ParaStop®, *Para Tablets* and *Parasol*.

Also treat the infected pigeons extra with *Para Tablets* during the first 7 days of the treatment. After the treatment: *Belga Bion®* for 2 days.

*Salmonella test, positive,
on nutrient medium*





Ornithosis Complex

Illness of the upper respiratory tract

SYMPTOMS

- picking of feathers
 - scratching head
 - red throat
 - yawning
 - rattling
 - inflamed third eyelid
 - dirty noses
 - blue flesh
 - swollen heads
 - one eye cold
 - wet eyes
 - snot
- (especially in young pigeons)

Once both old and young birds have started their training and racing program they are likely to develop an ornithosis problem, showing symptoms of swollen or puffed feathers around the ears, dry plumage, blue flesh and a holt on the moult. 60% of young birds will develop ornithosis problems resulting in an increase of losses. The pigeons will get home very tired after racing, when showing these symptoms pigeons must be directly treated with a combination of prescribed treatments and should be kept home in more severe cases for at least 1 week to avoid even bigger losses.

The following veterinary medicines can be administered in case of the ornithosis-complex:

BelgaTai®, *OrniSpecial®*, *Ornisol*, *Orni 3* and *OrniStop® Tablets*.

Combination possibilities in case of more severe ornithosis:

- *OrniSpecial®* + *W.N.® Red* / *W.N.® Black*: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) *OrniSpecial®* + 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) *W.N.® Red* / *W.N.® Black* in 2 litres of water or on 1 kg of grain* for 40 pigeons, for 3 to 5 days.
- *OrniSpecial®* + *Ornisol*: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) *OrniSpecial®* + 2 screw caps *Ornisol* in 2 litres of water, for 3 to 5 days.
- *OrniSpecial®* + *BelgaTai®* (= *BelgaWhite*): 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) *OrniSpecial®* + 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) *BelgaTai®* in 2 litres of water, for 3 to 5 days.
- *BelgaTai®* + *Ornisol*: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) *BelgaTai®* + 2 screw caps *Ornisol* in 2 litres of water, for 3 to 5 days.

*Latent ornithosis complex
(blocked nasal passage)*



* Feed can be moistened with *Belgasol®* among other things.

Worms

SYMPTOMS

- Loss of condition
- Bad digestion
- Bad stools
- Loss of weight
- Disturbed fertility

BelgaWormac® is the best remedy against hair, round and tapeworms (*Capillaria* spp. and *Ascaridia* spp.). Pigeons can be fed normally during the treatment.

Do not administer during the moult or to nestlings.

Instructions:

BelgaWormac® powder: 2 measuring spoons (5 g per spoon) in 1 litre of water for 2 days.

Do not administer over the feed!

Adeno-coli syndrome

A disease mainly occurring in young pigeons

SYMPTOMS

- not listening
- loss of appetite
- loss of weight
- vomiting
- brown green watery or slimy droppings
- death

The differential diagnosis (clinical picture which can partly look like) are, among others hexamitiasis, PMV (paramyxovirus) and streptococci infections or combinations of these diseases.

BelgaWormac® tablets: 1 tablet per pigeon. Treatment to be repeated after 2 to 3 weeks. In case of more severe infestations it is recommended to treat the pigeons 2 consecutive days with 1 tablet a day.

In connection with reinfestation hygiene in the lofts is very important.

Preventive measures should be taken to prevent disease transmission. Sick and suspect birds should be put aside immediately and the loft must be disinfected as listed below.

To prevent the risk of reinfestation disinfect the loft: remove loft floor litter if any, moisten the loft with water and then carefully 'burn-out' the loft.

Very contagious from April to August. In the laboratory difficult to diagnose, however clinically easy to diagnose.

4 in 1 Mix, *Belgamco*® and *Cobel*® are effective against adeno-coli.

Combination possibilities:

Belgamco® and *Cobel*® can be combined in more severe cases: 1 sachet (5 g) or 2 measuring spoons (2½ g per spoon) *Belgamco*® + approx. 6 ml *Cobel*® in 2 litres of water for 40 pigeons for 5 to 7 days.



Trichomoniasis (Canker)

In many pigeons, both old and young, which are not regularly treated against canker (trichomoniasis) pathogens (trichomonads) can be latently present. This can present major problems as early as in the nest, with youngsters having yellow lumps stuck in the back of the throat.


In adult pigeons, in combination with the ornithosis-complex, it may lead to serious complications. Even if the pigeons have a 'natural' immunity against trichomoniasis, in autumn it can come to sudden large outbreaks of this disease, in some cases, even death as result.

SYMPTOMS

- loss of condition
- bad digestion
- bad droppings
- crop mucosal inflammation
- complications with ornithosis
- yellow lumps stuck in the back of the throat

The following veterinary medicines can be administered in case of trichomoniasis:

B.S.[®] powder, B.S.[®] tablets, BelgaMagix[®] tablets, Belgaroni[®] 10% and Belgaroni[®] 15% .



Trichomoniasis (Canker)

SINCE 1960



BELGICA DE WEERD B.V.

PO Box 4607
4803 EP Breda
The Netherlands

T +31 76 560 02 22
F +31 76 565 35 70
info@belgicadeweerd.com
www.belgicadeweerd.com



DR. DE WEERD PIGEONS

PO Box 4607
4803 EP Breda
The Netherlands

T +31 76 520 62 50
sales@drdeweerdpigeons.com
www.drdeweerdpigeons.com